

KARIZMA[luce][®]

• L E D ' S D E L I G H T •

CATALOGUE.



“**Light** is
what gives
joy to
buildings.”



INTRO.

IN AN ENVIRONMENT WHERE HOSPITALITY AND A PERSONAL ATMOSPHERE PREVAIL, GOOD LIGHTING IS ALWAYS THE DECIDING FACTOR. KARIZMA LUCE ALLOWS YOU TO ENRICH THOSE SPACES WHERE PEOPLE ENJOY, WORK AND LIVE. IN THIS CATALOGUE YOU WILL FIND PLENTY OF INSPIRATION TO TAKE YOUR LIGHTING PROJECT TO THE NEXT LEVEL.

HIGHLIGHTED IN THE CATALOGUE ON PAGE 200 IS DEA DELLA LUCE, THE GODDESS OF LIGHT. THIS REVOLUTIONARY LIGHTING LINE IS FULL OF PURE LIGHT AND ELEGANCE, MAKING IT UNIQUE IN THE MARKET.

IN ADDITION, OUR HIGH-QUALITY AND EXTENSIVE KARIZMA LUCE RANGE HAS EVERYTHING YOU NEED TO EXCEED YOUR EXPECTATIONS.

NAVIGATING THROUGH THE CATALOGUE IS EASY. LIGHTING FIXTURES ON PAGE 9 ARE CLEARLY ARRANGED BY CATEGORY. PERHAPS YOU WOULD PREFER TO QUICKLY SEARCH BY PRODUCT NAME OR IMAGE? THEN SIMPLY TURN TO THE VISUAL INDEX ON PAGE 207 WHERE YOU WILL FIND THE LIGHTING FIXTURE YOU ARE LOOKING FOR IN NO TIME AT ALL.

CONTENT.

12

Recessed
luminaires
fixed

144

Track
luminaires

48

Recessed
luminaires
adjustable

168

Surface
luminaires

120

Recessed
luminaires
trimless

186

Suspended
luminaires

126

Linear
luminaires

206


Product
index

**"Charisma's
good every night.**
Something special
is always about to
happen. You've
got to believe it."

RECESSED


LUMINAIRES

FIXED

5 years
warranty

• DEA AMATA

Everybody loves the Dea Amata. It is one of our most popular luminaires. That's exactly why we called it Amata. This means 'loved' in Italian. In its own way, she makes you feel at home. Exactly in the colour that suits you. Caring, reliable, timeless. That's how love should be, right?



BLACK/GOLD



BLACK/SILVER HIGH GLOSS



BLACK/WHITE



BLACK/BLACK HIGH GLOSS



BLACK/CHROME



WHITE/GOLD



WHITE/SILVER HIGH GLOSS



WHITE/WHITE



WHITE/BLACK HIGH GLOSS




WHITE/CHROME

Family products




Dea Amata XS



Description	reflector	∧	white	black
180lm 840 2.1W	black high gloss	18°	211AW84018BG00	211AB84018BG00
150lm 927 2.1W	black high gloss	18°	211AW92718BG00	211AB92718BG00
160lm 930 2.1W	black high gloss	18°	211AW93018BG00	211AB93018BG00
180lm 840 2.1W	silver high gloss	18°	211AW84018SG00	211AB84018SG00
150lm 927 2.1W	silver high gloss	18°	211AW92718SG00	211AB92718SG00
160lm 930 2.1W	silver high gloss	18°	211AW93018SG00	211AB93018SG00
180lm 840 2.1W	chrome	18°	211AW84018CH00	211AB84018CH00
150lm 927 2.1W	chrome	18°	211AW92718CH00	211AB92718CH00
160lm 930 2.1W	chrome	18°	211AW93018CH00	211AB93018CH00
180lm 840 2.1W	white	18°	211AW84018WH00	211AB84018WH00
150lm 927 2.1W	white	18°	211AW92718WH00	211AB92718WH00
160lm 930 2.1W	white	18°	211AW93018WH00	211AB93018WH00
180lm 840 2.1W	gold	18°	211AW84018GO00	211AB84018GO00
150lm 927 2.1W	gold	18°	211AW92718GO00	211AB92718GO00
160lm 930 2.1W	gold	18°	211AW93018GO00	211AB93018GO00

Driver (700mA/3Vf) must be ordered separately.

Dea Amata S




Description	reflector	∧	white	black
600lm 927 8.5W	black high gloss	60°	212CW92760BG00	212CB92760BG00
630lm 930 8.5W	black high gloss	60°	212CW93060BG00	212CB93060BG00
700lm 940 8.5W	black high gloss	60°	212CW94060BG00	212CB94060BG00
630lm 927 8.5W	silver high gloss	60°	212CW92760SG00	212CB92760SG00
670lm 930 8.5W	silver high gloss	60°	212CW93060SG00	212CB93060SG00
730lm 940 8.5W	silver high gloss	60°	212CW94060SG00	212CB94060SG00
620lm 927 8.5W	chrome	55°	212CW92755CH00	212CB92755CH00
660lm 930 8.5W	chrome	55°	212CW93055CH00	212CB93055CH00
720lm 940 8.5W	chrome	55°	212CW94055CH00	212CB94055CH00
620lm 927 8.5W	white	60°	212CW92760WH00	212CB92760WH00
650lm 930 8.5W	white	60°	212CW93060WH00	212CB93060WH00
700lm 940 8.5W	white	60°	212CW94060WH00	212CB94060WH00
600lm 927 8.5W	gold	55°	212CW92755GO00	212CB92755GO00
640lm 930 8.5W	gold	55°	212CW93055GO00	212CB93055GO00
700lm 940 8.5W	gold	55°	212CW94055GO00	212CB94055GO00

Driver (250mA/29.9-31.7Vf) must be ordered separately.

Family products





Dea Amata M



Description	reflector	∧	white	black
1080lm 927 12.5W	black high gloss	40°	213EW92740BG00	213EB92740BG00
1120lm 930 12.5W	black high gloss	40°	213EW93040BG00	213EB93040BG00
1130lm 940 12.5W	black high gloss	40°	213EW94040BG00	213EB94040BG00
1250lm 927 12.5W	silver high gloss	35°	213FW92735SG00	213FB92735SG00
1300lm 930 12.5W	silver high gloss	35°	213FW93035SG00	213FB93035SG00
1300lm 940 12.5W	silver high gloss	35°	213FW94035SG00	213FB94035SG00
1250lm 927 12.5W	chrome	40°	213FW92740CH00	213FB92740CH00
1300lm 930 12.5W	chrome	40°	213FW93040CH00	213FB93040CH00
1300lm 940 12.5W	chrome	40°	213FW94040CH00	213FB94040CH00
1170lm 927 12.5W	white	45°	213EW92745WH00	213EB92745WH00
1220lm 930 12.5W	white	45°	213EW93045WH00	213EB93045WH00
1220lm 940 12.5W	white	45°	213EW94045WH00	213EB94045WH00
1140lm 927 12.5W	gold	40°	213EW92740GO00	213EB92740GO00
1190lm 930 12.5W	gold	40°	213EW93040GO00	213EB93040GO00
1200lm 940 12.5W	gold	40°	213EW94040GO00	213EB94040GO00

Driver (350mA/33.8-35.9Vf) must be ordered separately.



Dea Amata XM



Description	reflector	∧	white	black
1550lm 927 17.5W	black high gloss	45°	214GW92745BG00	214GB92745BG00
1620lm 930 17.5W	black high gloss	45°	214GW93045BG00	214GB93045BG00
1650lm 940 17.5W	black high gloss	45°	214GW94045BG00	214GB94045BG00
1750lm 927 17.5W	silver high gloss	45°	214HW92745SG00	214HB92745SG00
1825lm 930 17.5W	silver high gloss	45°	214HW93045SG00	214HB93045SG00
1850lm 940 17.5W	silver high gloss	45°	214HW94045SG00	214HB94045SG00
1630lm 927 17.5W	chrome	45°	214GW92745CH00	214GB92745CH00
1700lm 930 17.5W	chrome	45°	214GW93045CH00	214GB93045CH00
1720lm 940 17.5W	chrome	45°	214GW94045CH00	214GB94045CH00
1580lm 927 17.5W	white	45°	214GW92745WH00	214GB92745WH00
1650lm 930 17.5W	white	45°	214GW93045WH00	214GB93045WH00
1670lm 940 17.5W	white	45°	214GW94045WH00	214GB94045WH00
1580lm 927 17.5W	gold	45°	214GW92745GO00	214GB92745GO00
1650lm 930 17.5W	gold	45°	214GW93045GO00	214GB93045GO00
1670lm 940 17.5W	gold	45°	214GW94045GO00	214GB94045GO00

Driver (500mA/32.8-34.8Vf) must be ordered separately.

Dea Amata L



Description	reflector	∧	white	black
1340lm-2460lm 927 11.5-24W	black high gloss	40°	215FW92740BG00	215FB92740BG00
1400lm-2550lm 930 11.5-24W	black high gloss	40°	215FW93040BG00	215FB93040BG00
1370lm-2620lm 940 11.5-24W	black high gloss	40°	215FW94040BG00	215FB94040BG00
1480lm-2720lm 927 11.5-24W	silver high gloss	35°	215FW92735SG00	215FB92735SG00
1540lm-2830lm 930 11.5-24W	silver high gloss	35°	215GW93035SG00	215GB93035SG00
1520lm-2900lm 940 11.5-24W	silver high gloss	35°	215GW94035SG00	215GB94035SG00
1300lm-2500lm 927 11.5-24W	chrome	40°	215FW92740CH00	215FB92740CH00
1350lm-2600lm 930 11.5-24W	chrome	40°	215FW93040CH00	215FB93040CH00
1400lm-2650lm 940 11.5-24W	chrome	40°	215FW94040CH00	215FB94040CH00
1300lm-2500lm 927 11.5-24W	white	50°	215FW92750WH00	215FB92750WH00
1350lm-2600lm 930 11.5-24W	white	50°	215FW93050WH00	215FB93050WH00
1400lm-2650lm 940 11.5-24W	white	50°	215FW94050WH00	215FB94050WH00
1320lm-2430lm 927 11.5-24W	gold	45°	215FW92750GO00	215FB92750GO00
1380lm-2520lm 930 11.5-24W	gold	45°	215FW93050GO00	215FB93050GO00
1350lm-2590lm 940 11.5-24W	gold	45°	215FW94050GO00	215FB94050GO00

Driver (350-700mA/32.4-34.1Vf) must be ordered separately.





• DEA AMOR

What's not to love about the Dea Amor? His refined design, the stylish colour variants, the countless lighting options: the Dea Amor shows the best side of every room in his own loving way. This square recessed luminaire really is a keeper.



BLACK/GOLD



BLACK/SILVER HIGH GLOSS



BLACK/WHITE



BLACK/BLACK HIGH GLOSS



BLACK/CHROME




WHITE/GOLD



WHITE/SILVER HIGH GLOSS



WHITE/WHITE



WHITE/BLACK HIGH GLOSS




WHITE/CHROME

Family products




Dea Amor S



Description	reflector	∧	white	black
600lm 927 8.5W	black high gloss	60°	217CW92760BG00	217CB92760BG00
630lm 930 8.5W	black high gloss	60°	217CW93060BG00	217CB93060BG00
700lm 940 8.5W	black high gloss	60°	217CW94060BG00	217CB94060BG00
630lm 927 8.5W	silver high gloss	60°	217CW92760SG00	217CB92760SG00
670lm 930 8.5W	silver high gloss	60°	217CW93060SG00	217CB93060SG00
730lm 940 8.5W	silver high gloss	60°	217CW94060SG00	217CB94060SG00
620lm 927 8.5W	chrome	55°	217CW92755CH00	217CB92755CH00
660lm 930 8.5W	chrome	55°	217CW93055CH00	217CB93055CH00
720lm 940 8.5W	chrome	55°	217CW94055CH00	217CB94055CH00
620lm 927 8.5W	white	60°	217CW92760WH00	217CB92760WH00
650lm 930 8.5W	white	60°	217CW93060WH00	217CB93060WH00
700lm 940 8.5W	white	60°	217CW94060WH00	217CB94060WH00
600lm 927 8.5W	gold	55°	217CW92755GO00	217CB92755GO00
640lm 930 8.5W	gold	55°	217CW93055GO00	217CB93055GO00
700lm 940 8.5W	gold	55°	217CW94055GO00	217CB94055GO00

Driver (250mA/31Vf) must be ordered separately.


Dea Amor M



Description	reflector	∧	white	black
1080lm 927 12.5W	black high gloss	40°	216EW92740BG00	216EB92740BG00
1120lm 930 12.5W	black high gloss	40°	216EW93040BG00	216EB93040BG00
1130lm 940 12.5W	black high gloss	40°	216EW94040BG00	216EB94040BG00
1250lm 927 12.5W	silver high gloss	35°	216FW92735SG00	216FB92735SG00
1300lm 930 12.5W	silver high gloss	35°	216FW93035SG00	216FB93035SG00
1300lm 940 12.5W	silver high gloss	35°	216FW94035SG00	216FB94035SG00
1250lm 927 12.5W	chrome	40°	216FW92740CH00	216FB92740CH00
1300lm 930 12.5W	chrome	40°	216FW93040CH00	216FB93040CH00
1300lm 940 12.5W	chrome	40°	216FW94040CH00	216FB94040CH00
1170lm 927 12.5W	white	45°	216EW92745WH00	216EB92745WH00
1220lm 930 12.5W	white	45°	216EW93045WH00	216EB93045WH00
1220lm 940 12.5W	white	45°	216EW94045WH00	216EB94045WH00
1140lm 927 12.5W	gold	40°	216EW92740GO00	216EB92740GO00
1190lm 930 12.5W	gold	40°	216EW93040GO00	216EB93040GO00
1200lm 940 12.5W	gold	40°	216EW94040GO00	216EB94040GO00

Driver (350mA/34.1Vf) must be ordered separately.

5 years warranty



• DOCCIA


Do you have a lighting challenge for a hotel or restaurant? Don't forget to include the Doccia in your team. Thanks to its IP65, this recessed luminaire is perfect for use in bathrooms. Also need a solution for outdoor terrace lighting? Choose the Doccia. The high protection of the optical part makes it a robust and elegant addition to your project.

Doccia M

IP65
IP65


CRI
90

PHASE
CUT
DIM



Description	Λ	white	black
1350lm 930 14W	40°	218FW93040F0	218FB93040F0
1350lm 940 14W	40°	218FW94040F0	218FB94040F0

Delivered with driver in IP65 enclosure box.




Doccia L

IP65
IP65

CRI
90

PHASE
CUT
DIM




Description	Λ	white	black
2800lm 930 28W	38°	219LW93040F0	219LB93040F0
2800lm 940 28W	38°	219LW94040F0	219LB94040F0

Delivered with driver in IP65 enclosure box.



5 years warranty



• PROFONDO

The Profondo is a fixed downlight with a deep recessed lamp position. Profondo means 'deep', and that is exactly what this luminaire does: it makes a deep impression. Not only because of the elegant looks, but also because of the unique wide range of available colours.

Profondo Basso

IP20
IP43


CRI
80/90

PHASE CUT DIM

BALL


CASAMBI

DIM TO WARM



Description	∧	white	black
720lm 927 9W	24°	202CW9272400	202CB9272400
730lm 930 9W	24°	202CW9302400	202CB9302400
950lm 840 9W	24°	202DW8402400	202DB8402400
720lm 927 9W	40°	202CW9274000	202CB9274000
730lm 930 9W	40°	202CW9304000	202CB9304000
950lm 840 9W	40°	202DW8404000	202DB8404000

Driver (500mA/18.4Vf) must be ordered separately.



Profondo

IP20
IP43


CRI
80/90

PHASE CUT DIM

BALL

CASAMBI

DIM TO WARM




Description	∧	white	black
705lm 927 9W	32°	201CW9273200	201CB9273200
720lm 930 9W	32°	201CW9303200	201CB9303200
930lm 840 9W	32°	201DW8403200	201DB8403200
705lm 927 9W	40°	201CW9274000	201CB9274000
720lm 930 9W	40°	201CW9304000	201CB9304000
930lm 840 9W	40°	201DW8404000	201DB8404000

Driver (500mA/18.4Vf) must be ordered separately.

1240lm 927 12.5W	32°	201EW9273200	201EB9273200
1280lm 930 12.5W	32°	201FW9303200	201FB9303200
1550lm 840 12.5W	32°	201GW8403200	201GB8403200

1240lm 927 12.5W	40°	201EW9274000	201EB9274000
1280lm 930 12.5W	40°	201FW9304000	201FB9304000
1550lm 840 12.5W	40°	201GW8404000	201GB8404000

Driver (350mA/33.8-35.9Vf) must be ordered separately.




Profondo Grande

IP20
IP43

CRI
80/90


PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
2600lm 927 25W	30°	203KW9273000	203KB9273000
2700lm 930 25W	30°	203KW9303000	203KB9303000
3250lm 840 25W	30°	203NW8403000	203NB8403000
2600lm 927 25W	60°	203KW9276000	203KB9276000
2700lm 930 25W	60°	203KW9306000	203KB9306000
3250lm 840 25W	60°	203NW8406000	203NB8406000

Driver (700mA/35Vf) must be ordered separately.



5 years warranty



MURO

This fixed led downlight with recessed lamp position and asymmetric light output puts a sparkle in every interior. It is perfect for gallery lighting, because of its optimal colour rendering index, colour temperature and control options. The highest lighting criteria make the Muro the lighting solution of choice for galleries.


Muro

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	^	white	black
705lm 927 9W	45°	204CW9274500	204CB9274500
720lm 930 9W	45°	204CW9304500	204CB9304500
930lm 840 9W	45°	204DW8404500	204DB8404500
Driver (500mA/18.4Vf) must be ordered separately.			
1240lm 927 12.5W	45°	204EW9274500	204EB9274500
1280lm 930 12.5W	45°	204FW9304500	204FB9304500
1550lm 840 12.5W	45°	204GW8404500	204GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

5 years warranty



• BORDO

When it comes to wine, we select and drink a bottle based on all five of our senses – taste, smell, touch, sight and even sound. When it comes to a luminaire, besides the basic parameters like CCT, flux, efficiency, controls, we choose at first according to the design – material, size, shape, colour. Let the elegant Bordo surprise you.


Bordo

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI




Description	^	white	black
1275lm 927 12.5W	38°	205FW9273800	205FB9273800
1355lm 930 12.5W	38°	205FW9303800	205FB9303800
1615lm 840 12.5W	38°	205GW8403800	205GB8403800
1275lm 927 12.5W	45°	205FW9274500	205FB9274500
1355lm 930 12.5W	45°	205FW9304500	205FB9304500
1615lm 840 12.5W	45°	205GW8404500	205GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

A man with a beard, wearing a dark shirt, is smiling and holding a yellow cup. A woman with dark hair, wearing a black sleeveless top, is focused on pouring coffee from a black kettle into a glass carafe. They are in a cafe setting with a counter in the foreground filled with various coffee-making equipment, including a scale, a grinder, and several clear plastic cups. The background features a large window with a decorative metal frame.

**“Places can
have charisma,
in short, as much
as people do.”**

5 years warranty



• SPLENDORE

The Splendore is a fixed downlight with an optical lens. The bathroom is the ultimate place in your house to unwind. This luminaire provides the best combination of accent and task lighting with highest CRI, tunable white or different CCT possibilities, and dimming. The high IP rating for wet environments makes it a splendid waterproof lighting choice for luxurious bathrooms.


Splendore

IP20
IP54

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	^	white	black
705lm 927 9W	22°	208CW9272200	208CB9272200
720lm 930 9W	22°	208CW9302200	208CB9302200
920lm 840 9W	22°	208DW8402200	208DB8402200
705lm 927 9W	36°	208CW9273600	208CB9273600
720lm 930 9W	36°	208CW9303600	208CB9303600
920lm 840 9W	36°	208DW8403600	208DB8403600
705lm 927 9W	60°	208CW9276000	208CB9276000
720lm 930 9W	60°	208CW9306000	208CB9306000
920lm 840 9W	60°	208DW8406000	208DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Fasto
p. 40

5 years warranty



FASTO

This square luminaire with an optical lens offers a relaxing atmosphere in bathrooms in residential houses and hotels. This square luminaire offers warm light or even better - dim to warm option - and a diffuse light created by the lens. The IP54 makes Fasto appropriate not only for bathrooms, but any other places with higher humidity and dust.


Fasto

IP20
IP54

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	^	white	black
705lm 927 9W	22°	207CW9272200	207CB9272200
720lm 930 9W	22°	207CW9302200	207CB9302200
920lm 840 9W	22°	207DW8402200	207DB8402200
705lm 927 9W	36°	207CW9273600	207CB9273600
720lm 930 9W	36°	207CW9303600	207CB9303600
920lm 840 9W	36°	207DW8403600	207DB8403600
705lm 927 9W	60°	207CW9276000	207CB9276000
720lm 930 9W	60°	207CW9306000	207CB9306000
920lm 840 9W	60°	207DW8406000	207DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Splendore
p. 38

5 years warranty



PICCOLO LENTE

The Piccolo Lente is a fixed led downlight with a recessed lamp position and optical lens. The different beam angles and colours, together with the high CRI makes the compact Karizma Luce Piccolo Lente a little yet very powerful downlight.


Piccolo lente

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	∧	white	black
705lm 927 9W	22°	209CW9272200	209CB9272200
720lm 930 9W	22°	209CW9302200	209CB9302200
930lm 840 9W	22°	209DW8402200	209DB8402200
705lm 927 9W	36°	209CW9273600	209CB9273600
720lm 930 9W	36°	209CW9303600	209CB9303600
930lm 840 9W	36°	209DW8403600	209DB8403600
705lm 927 9W	60°	209CW9276000	209CB9276000
720lm 930 9W	60°	209CW9306000	209CB9306000
930lm 840 9W	60°	209DW8406000	209DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Piccolo
p. 44

5 years warranty



• PICCOLO

The Piccolo is a small cute spot that creates a romantic and magical atmosphere in restaurants, bars or at home by reducing CCT to 2000K. Dim your lighting and warm your space: the Karizma Luce Piccolo boosts your relaxing evening.


Piccolo

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	∧	white	black
705lm 927 9W	24°	210CW9272400	210CB9272400
720lm 930 9W	24°	210CW9302400	210CB9302400
930lm 840 9W	24°	210DW8402400	210DB8402400
705lm 927 9W	40°	210CW9274000	210CB9274000
720lm 930 9W	40°	210CW9304000	210CB9304000
930lm 840 9W	40°	210DW8404000	210DB8404000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Piccolo Lente
p. 42

5 years warranty



• EMOZIONE

The Emozione is a fixed led downlight. The recessed lamp position and square look make a gentle but powerful addition to your lighting plan. The Karizma Luce Emozione suits perfectly in hotels, restaurants, lobbies and hallways. Basically, every space which can use a touch of emotion.


Emozione

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	∧	white	black
705lm 927 9W	30°	206CW9273000	206CB9273000
720lm 930 9W	30°	206CW9303000	206CB9303000
920lm 840 9W	30°	206DW8403000	206DB8403000
705lm 927 9W	45°	206CW9274500	206CB9274500
720lm 930 9W	45°	206CW9304500	206CB9304500
920lm 840 9W	45°	206DW8404500	206DB8404500

Driver (500mA/18.4Vf) must be ordered separately.

RECESSED

LUMINAIRES

ADJUSTABLE

5 years
warranty

• DEA CARMENTA

A true piece of art, just by the design itself. This beautiful adjustable luminaire offers a wide selection of different colours in reflectors. Thanks to its low glare, the Dea Carmenta gracefully enriches workspaces and offices, especially when you choose the White or Silver reflector. Go Black or Gold if you want to put an extra dimension to hotel or restaurant atmospheres.



BLACK/GOLD




BLACK/SILVER HIGH GLOSS



BLACK/WHITE



BLACK/BLACK HIGH GLOSS



BLACK/BLACK MATT



BLACK/CHROME



WHITE/GOLD



WHITE/SILVER HIGH GLOSS




WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT




WHITE/CHROME

Family products



p. 200 / p. 205



Dea Carmenta S



Description	reflector	Λ	white	black
830lm 927 8.5W	black high gloss	40°	128DW92740BG00	128DB92740BG00
860lm 930 8.5W	black high gloss	40°	128DW93040BG00	128DB93040BG00
870lm 940 8.5W	black high gloss	40°	128DW94040BG00	128DB94040BG00
900lm 927 8.5W	silver high gloss	40°	128DW92740SG00	128DB92740SG00
950lm 930 8.5W	silver high gloss	40°	128DW93040SG00	128DB93040SG00
960lm 940 8.5W	silver high gloss	40°	128DW94040SG00	128DB94040SG00
890lm 927 8.5W	chrome	40°	128DW92740CH00	128DB92740CH00
930lm 930 8.5W	chrome	40°	128DW93040CH00	128DB93040CH00
940lm 940 8.5W	chrome	40°	128DW94040CH00	128DB94040CH00
840lm 927 8.5W	white	40°	128DW92740WH00	128DB92740WH00
880lm 930 8.5W	white	40°	128DW93040WH00	128DB93040WH00
890lm 940 8.5W	white	40°	128DW94040WH00	128DB94040WH00
840lm 927 8.5W	gold	40°	128DW92740GO00	128DB92740GO00
880lm 930 8.5W	gold	40°	128DW93040GO00	128DB93040GO00
890lm 940 8.5W	gold	40°	128DW94040GO00	128DB94040GO00
760lm 927 8.5W	black matt	40°	128DW92740BM00	128DB92740BM00
800lm 930 8.5W	black matt	40°	128DW93040BM00	128DB93040BM00
810lm 940 8.5W	black matt	40°	128DW94040BM00	128DB94040BM00


Driver (250mA/33.2Vf) must be ordered separately.

Dea Carmenta M



Description	reflector	Λ	white	black
1140lm 927 12.5W	black high gloss	40°	130EW92740BG00	130EB92740BG00
1180lm 930 12.5W	black high gloss	40°	130EW93040BG00	130EB93040BG00
1200lm 940 12.5W	black high gloss	40°	130EW94040BG00	130EB94040BG00
1240lm 927 12.5W	silver high gloss	40°	130EW92740SG00	130EB92740SG00
1290lm 930 12.5W	silver high gloss	40°	130FW93040SG00	130FB93040SG00
1300lm 940 12.5W	silver high gloss	40°	130FW94040SG00	130FB94040SG00
1200lm 927 12.5W	chrome	40°	130EW92740CH00	130EB92740CH00
1260lm 930 12.5W	chrome	40°	130FW93040CH00	130FB93040CH00
1270lm 940 12.5W	chrome	40°	130FW94040CH00	130FB94040CH00
1160lm 927 12.5W	white	40°	130EW92740WH00	130EB92740WH00
1200lm 930 12.5W	white	40°	130EW93040WH00	130EB93040WH00
1220lm 940 12.5W	white	40°	130EW94040WH00	130EB94040WH00
1160lm 927 12.5W	gold	40°	130EW92740GO00	130EB92740GO00
1200lm 930 12.5W	gold	40°	130EW93040GO00	130EB93040GO00
1220lm 940 12.5W	gold	40°	130EW94040GO00	130EB94040GO00
1060lm 927 12.5W	black matt	40°	130EW92740BM00	130EB92740BM00
1120lm 930 12.5W	black matt	40°	130EW93040BM00	130EB93040BM00
1130lm 940 12.5W	black matt	40°	130EW94040BM00	130EB94040BM00

Driver (350mA/34.1Vf) must be ordered separately.

5 years
warranty

• DEA CERES

Looking for an even more modern look? The square Dea Ceres adds a touch of magic wherever you want, exactly how you want it. The fresh and modern design makes this luminaire an excellent addition to every office. Choose the White, Silver or Chrome variants and 4000K to create even more fresh working conditions. Gold and Black guarantee a warm and classy output.



BLACK/GOLD




BLACK/SILVER HIGH GLOSS




BLACK/WHITE




BLACK/BLACK HIGH GLOSS



BLACK/BLACK MATT



BLACK/CHROME



WHITE/GOLD



WHITE/SILVER HIGH GLOSS




WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT




WHITE/CHROME

Family products





Dea Ceres S



Description	reflector	Λ	white	black
830lm 927 8.5W	black high gloss	40°	129DW92740BG00	129DB92740BG00
860lm 930 8.5W	black high gloss	40°	129DW93040BG00	129DB93040BG00
870lm 940 8.5W	black high gloss	40°	129DW94040BG00	129DB94040BG00
900lm 927 8.5W	silver high gloss	40°	129DW92740SG00	129DB92740SG00
950lm 930 8.5W	silver high gloss	40°	129DW93040SG00	129DB93040SG00
960lm 940 8.5W	silver high gloss	40°	129DW94040SG00	129DB94040SG00
890lm 927 8.5W	chrome	40°	129DW92740CH00	129DB92740CH00
930lm 930 8.5W	chrome	40°	129DW93040CH00	129DB93040CH00
940lm 940 8.5W	chrome	40°	129DW94040CH00	129DB94040CH00
840lm 927 8.5W	white	40°	129DW92740WH00	129DB92740WH00
880lm 930 8.5W	white	40°	129DW93040WH00	129DB93040WH00
890lm 940 8.5W	white	40°	129DW94040WH00	129DB94040WH00
840lm 927 8.5W	gold	40°	129DW92740GO00	129DB92740GO00
880lm 930 8.5W	gold	40°	129DW93040GO00	129DB93040GO00
890lm 940 8.5W	gold	40°	129DW94040GO00	129DB94040GO00
760lm 927 8.5W	black matt	40°	129DW92740BM00	129DB92740BM00
800lm 930 8.5W	black matt	40°	129DW93040BM00	129DB93040BM00
810lm 940 8.5W	black matt	40°	129DW94040BM00	129DB94040BM00

Driver (250mA/33.2Vf) must be ordered separately.

Dea Ceres M



Description	reflector	Λ	white	black
1140lm 927 12.5W	black high gloss	40°	131EW92740BG00	131EB92740BG00
1180lm 930 12.5W	black high gloss	40°	131EW93040BG00	131EB93040BG00
1200lm 940 12.5W	black high gloss	40°	131EW94040BG00	131EB94040BG00
1240lm 927 12.5W	silver high gloss	40°	131EW92740SG00	131EB92740SG00
1290lm 930 12.5W	silver high gloss	40°	131FW93040SG00	131FB93040SG00
1300lm 940 12.5W	silver high gloss	40°	131FW94040SG00	131FB94040SG00
1200lm 927 12.5W	chrome	40°	131EW92740CH00	131EB92740CH00
1260lm 930 12.5W	chrome	40°	131FW93040CH00	131FB93040CH00
1270lm 940 12.5W	chrome	40°	131FW94040CH00	131FB94040CH00
1160lm 927 12.5W	white	40°	131EW92740WH00	131EB92740WH00
1200lm 930 12.5W	white	40°	131EW93040WH00	131EB93040WH00
1220lm 940 12.5W	white	40°	131EW94040WH00	131EB94040WH00
1160lm 927 12.5W	gold	40°	131EW92740GO00	131EB92740GO00
1200lm 930 12.5W	gold	40°	131EW93040GO00	131EB93040GO00
1220lm 940 12.5W	gold	40°	131EW94040GO00	131EB94040GO00
1060lm 927 12.5W	black matt	40°	131EW92740BM00	131EB92740BM00
1120lm 930 12.5W	black matt	40°	131EW93040BM00	131EB93040BM00
1130lm 940 12.5W	black matt	40°	131EW94040BM00	131EB94040BM00

Driver (350mA/34.1Vf) must be ordered separately.

5 years
warranty

• DEA CONCORDIA

Let's double up! The same charming looks and double the possibilities. Just adjust your beam angle and flux according to your required illumination. Create exactly your atmosphere of choice thanks to the various colours and dim to warm option. The high CRI and 4000K possibilities enable the Dea Concordia to freshen up any office. Available in small and medium size.



BLACK/GOLD



BLACK/SILVER HIGH GLOSS



BLACK/WHITE



BLACK/BLACK HIGH GLOSS



BLACK/BLACK MATT



BLACK/CHROME



WHITE/GOLD



WHITE/SILVER HIGH GLOSS



WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT



WHITE/CHROME


Family products



Dea Della Luce[®]
by KARIZMA^{lucē}

p. 200 / p. 205


Dea Concordia S



Description	reflector	∧	white	black
2x830lm 927 2x8.5W	black high gloss	40°	132DW92740BG00	132DB92740BG00
2x860lm 930 2x8.5W	black high gloss	40°	132DW93040BG00	132DB93040BG00
2x870lm 940 2x8.5W	black high gloss	40°	132DW94040BG00	132DB94040BG00
2x900lm 927 2x8.5W	silver high gloss	40°	132DW92740SG00	132DB92740SG00
2x950lm 930 2x8.5W	silver high gloss	40°	132DW93040SG00	132DB93040SG00
2x960lm 940 2x8.5W	silver high gloss	40°	132DW94040SG00	132DB94040SG00
2x890lm 927 2x8.5W	chrome	40°	132DW92740CH00	132DB92740CH00
2x930lm 930 2x8.5W	chrome	40°	132DW93040CH00	132DB93040CH00
2x940lm 940 2x8.5W	chrome	40°	132DW94040CH00	132DB94040CH00
2x840lm 927 2x8.5W	white	40°	132DW92740WH00	132DB92740WH00
2x880lm 930 2x8.5W	white	40°	132DW93040WH00	132DB93040WH00
2x890lm 940 2x8.5W	white	40°	132DW94040WH00	132DB94040WH00
2x840lm 927 2x8.5W	gold	40°	132DW92740GO00	132DB92740GO00
2x880lm 930 2x8.5W	gold	40°	132DW93040GO00	132DB93040GO00
2x890lm 940 2x8.5W	gold	40°	132DW94040GO00	132DB94040GO00
2x760lm 927 2x8.5W	black matt	40°	132DW92740BM00	132DB92740BM00
2x800lm 930 2x8.5W	black matt	40°	132DW93040BM00	132DB93040BM00
2x810lm 940 2x8.5W	black matt	40°	132DW94040BM00	132DB94040BM00

Driver (250mA/33.2Vf) must be ordered separately.

Dea Concordia M




Description	reflector	∧	white	black
2x1140lm 927 2x12.5W	black high gloss	40°	133EW92740BG00	133EB92740BG00
2x1180lm 930 2x12.5W	black high gloss	40°	133EW93040BG00	133EB93040BG00
2x1200lm 940 2x12.5W	black high gloss	40°	133EW94040BG00	133EB94040BG00
2x1240lm 927 2x12.5W	silver high gloss	40°	133EW92740SG00	133EB92740SG00
2x1290lm 930 2x12.5W	silver high gloss	40°	133FW93040SG00	133FB93040SG00
2x1300lm 940 2x12.5W	silver high gloss	40°	133FW94040SG00	133FB94040SG00
2x1200lm 927 2x12.5W	chrome	40°	133EW92740CH00	133EB92740CH00
2x1260lm 930 2x12.5W	chrome	40°	133FW93040CH00	133FB93040CH00
2x1270lm 940 2x12.5W	chrome	40°	133FW94040CH00	133FB94040CH00
2x1160lm 927 2x12.5W	white	40°	133EW92740WH00	133EB92740WH00
2x1200lm 930 2x12.5W	white	40°	133EW93040WH00	133EB93040WH00
2x1220lm 940 2x12.5W	white	40°	133EW94040WH00	133EB94040WH00
2x1160lm 927 2x12.5W	gold	40°	133EW92740GO00	133EB92740GO00
2x1200lm 930 2x12.5W	gold	40°	133EW93040GO00	133EB93040GO00
2x1220lm 940 2x12.5W	gold	40°	133EW94040GO00	133EB94040GO00
2x1060lm 927 2x12.5W	black matt	40°	133EW92740BM00	133EB92740BM00
2x1120lm 930 2x12.5W	black matt	40°	133EW93040BM00	133EB93040BM00
2x1130lm 940 2x12.5W	black matt	40°	133EW94040BM00	133EB94040BM00

Driver (350mA/34.1Vf) must be ordered separately.

5 years
warranty

DOLCEMENTE



DOLCEMENTE GRANDE




• DOLCEMENTE - DOLCEMENTE GRANDE

The Dolcemente is an adjustable led downlight with warm light or dim to warm option. Maybe it's small, but it has the power to create a romantic atmosphere in any restaurant or hotel. Its even perfectly suitable as lighting for luxurious interiors at home. Whether you choose the Regular or Grande version, Dolcemente will show you the sweetest side of premium lighting.

Family products




Dolcemente



Description	∧	white	black
620lm 927 9W	42°	101CW9274200	101CB9274200
660lm 930 9W	42°	101CW9304200	101CB9304200
820lm 840 9W	42°	101DW8404200	101DB8404200

Driver (350mA/26.5Vf) must be ordered separately.

Dolcemente Grande




Description	∧	white	black
1750lm 927 17.5W	24°	102HW9272400	102HB9272400
1833lm 930 17.5W	24°	102HW9302400	102HB9302400
2180lm 940 17.5W	24°	102IW9402400	102IB9402400
1750lm 927 17.5W	38°	102HW9273800	102HB9273800
1833lm 930 17.5W	38°	102HW9303800	102HB9303800
2180lm 940 17.5W	38°	102IW9403800	102IB9403800
1750lm 927 17.5W	45°	102HW9274500	102HB9274500
1833lm 930 17.5W	45°	102HW9304500	102HB9304500
2180lm 940 17.5W	45°	102IW9404500	102IB9404500

Driver (500mA/35Vf) must be ordered separately.




5 years
warranty

SOLO



SOLO GRANDE




• SOLO - SOLO GRANDE

The Solo is a square adjustable led downlight. Not only beautiful because of the looks, but very versatile as well. Thanks to the smooth adjustable functionality, this downlight is always able to put the right accents easily. This makes the Karizma Luce Solo perfect for hotel lighting and restaurant lighting.

Family products




Solo



Description	∧	white	black
620lm 927 9W	42°	103CW9274200	103CB9274200
660lm 930 9W	42°	103CW9304200	103CB9304200
820lm 840 9W	42°	103DW8404200	103DB8404200

Driver (350mA/26.5Vf) must be ordered separately.

Solo Grande





Description	∧	white	black
1750lm 927 17.5W	24°	104HW9272400	104HB9272400
1833lm 930 17.5W	24°	104HW9302400	104HB9302400
2180lm 940 17.5W	24°	104IW9402400	104IB9402400
1750lm 927 17.5W	38°	104HW9273800	104HB9273800
1833lm 930 17.5W	38°	104HW9303800	104HB9303800
2180lm 940 17.5W	38°	104IW9403800	104IB9403800
1750lm 927 17.5W	45°	104HW9274500	104HB9274500
1833lm 930 17.5W	45°	104HW9304500	104HB9304500
2180lm 940 17.5W	45°	104IW9404500	104IB9404500

Driver (500mA/35Vf) must be ordered separately.






GEMELLO



GEMELLO GRANDE




• GEMELLO - GEMELLO GRANDE

The Gemello is a refined double adjustable led downlight. Perfect for hospitality lighting. This twin (gemello) downlight creates a warm atmosphere and is able to highlight special elements, like art on the wall. Exactly the way you like it. Thanks to its brilliant lighting distribution, the Karizma Luce Gemello puts every interior to an even higher level.

Family products




Gemello



Description	^	white	black
2x620lm 927 18W	42°	105CW9274200	105CB9274200
2x660lm 930 18W	42°	105CW9304200	105CB9304200
2x820lm 840 18W	42°	105DW8404200	105DB8404200

Driver (350mA/26.5Vf) must be ordered separately.

Gemello Grande




Description	^	white	black
2x1750lm 927 2x17.5W	24°	106HW9272400	106HB9272400
2x1833lm 930 2x17.5W	24°	106HW9302400	106HB9302400
2x2180lm 940 2x17.5W	24°	106IW9402400	106IB9402400
2x1750lm 927 2x17.5W	38°	106HW9273800	106HB9273800
2x1833lm 930 2x17.5W	38°	106HW9303800	106HB9303800
2x2180lm 940 2x17.5W	38°	106IW9403800	106IB9403800
2x1750lm 927 2x17.5W	45°	106HW9274500	106HB9274500
2x1833lm 930 2x17.5W	45°	106HW9304500	106HB9304500
2x2180lm 940 2x17.5W	45°	106IW9404500	106IB9404500

Driver (500mA/35Vf) must be ordered separately.



5 years warranty



CIRA

Meet the Cira. This small adjustable spot with a recessed module position is equipped with an aluminium 24°, 30° or 38° reflector. The spot can be tilted up to 15°, so that you can gently create nuances in every interior. Optimize your lighting project with visual comfort, efficiency and light quality of the highest level.



Cira

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	30°	107CW9273000	107CB9273000
720lm 930 9W	30°	107CW9303000	107CB9303000
920lm 840 9W	30°	107DW8403000	107DB8403000
705lm 927 9W	45°	107CW9274500	107CB9274500
720lm 930 9W	45°	107CW9304500	107CB9304500
920lm 840 9W	45°	107DW8404500	107DB8404500

Driver (500mA/18.4Vf) must be ordered separately.

5 years warranty



• POPOLARE LENTE

The Popolare Lente is a deep recessed led module with optical lens. This helps to create a calm and clean lighting atmosphere in hotel rooms, hallways, lobby's and restaurants. The Karizma Luce Popolare Lente is very popular amongst architects and is often used in hospitality lighting.


Popolare Lente

IP20
IP44

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	22°	108CW9272200	108CB9272200
720lm 930 9W	22°	108CW9302200	108CB9302200
930lm 840 9W	22°	108DW8402200	108DB8402200
705lm 927 9W	36°	108CW9273600	108CB9273600
720lm 930 9W	36°	108CW9303600	108CB9303600
930lm 840 9W	36°	108DW8403600	108DB8403600
705lm 927 9W	60°	108CW9276000	108CB9276000
720lm 930 9W	60°	108CW9306000	108CB9306000
930lm 840 9W	60°	108DW8406000	108DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Popolare
p. 78

5 years warranty



• POPOLARE

The Popolare is one of the most popular recessed downlights from our portfolio, mainly due to its variability: different beam angles, tiltable up to 20°. The Karizma Luce Popolare has a dim to warm option for comfortable relaxing light, which makes it perfect for hospitality lighting and residential lighting.


Popolare

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	30°	109CW9273000	109CB9273000
720lm 930 9W	30°	109CW9303000	109CB9303000
930lm 840 9W	30°	109DW8403000	109DB8403000
705lm 927 9W	45°	109CW9274500	109CB9274500
720lm 930 9W	45°	109CW9304500	109CB9304500
930lm 840 9W	45°	109DW8404500	109DB8404500

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Popolare Lente
p. 76

5 years warranty



LUNA

Just like the moon, Luna provides supernatural delight, creates a pleasant relaxing atmosphere and adjusts to your needs by different options of CCT (2000-4000K) and CRI (up to >93). The LED module (14W) is positioned deeply to avoid a glare and the high IP54 protection makes the Luna perfect for use in a luxurious bathroom or kitchen.


Luna

IP20
IP54

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
1240lm 927 12W	36°	110EW9273600	110EB9273600
1280lm 930 12W	36°	110FW9303600	110FB9303600
1550lm 840 12W	36°	110GW8403600	110GB8403600

Driver (350mA/33.8-35.9Vf) must be ordered separately.


5 years warranty



• DIMORA LENTE

Choose a 22°, 36° or 60° optical lens and create a lighting experience that enchants family and friends over and over again. The Karizma Luce Dimora Lente sets the new standard for residential lighting. Versatile, powerful and gentle.

Dimora Lente



Description	Λ	white	black
705lm 927 9W	22°	111CW9272200	111CB9272200
720lm 930 9W	22°	111CW9302200	111CB9302200
930lm 840 9W	22°	111DW8402200	111DB8402200
705lm 927 9W	36°	111CW9273600	111CB9273600
720lm 930 9W	36°	111CW9303600	111CB9303600
930lm 840 9W	36°	111DW8403600	111DB8403600
705lm 927 9W	60°	111CW9276000	111CB9276000
720lm 930 9W	60°	111CW9306000	111CB9306000
930lm 840 9W	60°	111DW8406000	111DB8406000


Driver (500mA/18.4Vf) must be ordered separately.

Family products



Dimora
p. 84

5 years warranty



• DIMORA

The Dimora is an adjustable led downlight. Choose a 24°, 36° or 44° aluminium reflector and create a lighting experience that enchants visitors over and over again. The Karizma Luce Dimora fits perfectly in any residential lighting project: in the kitchen, living, bedroom or entrance.


Dimora

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	24°	112CW9272400	112CB9272400
720lm 930 9W	24°	112CW9302400	112CB9302400
930lm 840 9W	24°	112DW8402400	112DB8402400
705lm 927 9W	40°	112CW9274000	112CB9274000
720lm 930 9W	40°	112CW9304000	112CB9304000
930lm 840 9W	40°	112DW8404000	112DB8404000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Dimora Lente
p. 82



5 years warranty



• MINIMO LENTE

The Minimo Lente has a very special talent: the high quality of light improves your mood, brings a pleasant warmth to a room and gives you energy again. This – and the timeless minimalistic design of the luminiare with optical lens – makes the Karizma Luce Minimo Lente the perfect lighting solution for hotels, coffee bars and restaurants.


Minimo Lente

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	22°	113CW9272200	113CB9272200
720lm 930 9W	22°	113CW9302200	113CB9302200
930lm 840 9W	22°	113DW8402200	113DB8402200
705lm 927 9W	36°	113CW9273600	113CB9273600
720lm 930 9W	36°	113CW9303600	113CB9303600
930lm 840 9W	36°	113DW8403600	113DB8403600
705lm 927 9W	60°	113CW9276000	113CB9276000
720lm 930 9W	60°	113CW9306000	113CB9306000
930lm 840 9W	60°	113DW8406000	113DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Minimo
p. 90

5 years
warranty



• MINIMO

The Minimo is an adjustable led downlight. Thanks to its timeless minimalistic design and versatile character it is very popular in hospitality lighting. The Karizma Luce Minimo simply puts class into any room where people enjoy, work and live.


Minimo

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	24°	115CW9272400	115CB9272400
720lm 930 9W	24°	115CW9302400	115CB9302400
930lm 840 9W	24°	115DW8402400	115DB8402400
705lm 927 9W	40°	115CW9274000	115CB9274000
720lm 930 9W	40°	115CW9304000	115CB9304000
930lm 840 9W	40°	115DW8404000	115DB8404000

Driver (500mA/18.4Vf) must be ordered separately.

Family products



Minimo Lente
p. 88


5 years warranty



CORSA LENTE

The Corsa Lente is an adjustable led downlight with an optical lens. The clean design and its ability to rotate 350° makes it the perfect choice for office lighting, catering lighting and residential lighting. Simply highlight exactly the way you want it.

Corsa Lente



Description	Λ	white	black
705lm 927 9W	22°	116CW9272200	116CB9272200
720lm 930 9W	22°	116CW9302200	116CB9302200
930lm 840 9W	22°	116DW8402200	116DB8402200
705lm 927 9W	36°	116CW9273600	116CB9273600
720lm 930 9W	36°	116CW9303600	116CB9303600
930lm 840 9W	36°	116DW8403600	116DB8403600
705lm 927 9W	60°	116CW9276000	116CB9276000
720lm 930 9W	60°	116CW9306000	116CB9306000
930lm 840 9W	60°	116DW8406000	116DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

1240lm 927 12.5W	30°	116EW9273000	116EB9273000
1280lm 930 12.5W	30°	116FW9303000	116FB9303000
1550lm 840 12.5W	30°	116GW8403000	116GB8403000
1240lm 927 12.5W	40°	116EW9274000	116EB9274000
1280lm 930 12.5W	40°	116FW9304000	116FB9304000
1550lm 840 12.5W	40°	116GW8404000	116GB8404000
1240lm 927 12.5W	60°	116EW9276000	116EB9276000
1280lm 930 12.5W	60°	116FW9306000	116FB9306000
1550lm 840 12.5W	60°	116GW8406000	116GB8406000

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products




5 years
warranty



• CORSA

The Corsa is an adjustable led downlight, fitted with a 24°, 30° or 38° aluminium reflector. The clean design and its ability to rotate 350° makes it the perfect choice for office lighting, catering lighting, galleries and residential lighting. The Karizma Luce Corsa is up to any lighting task.

Corsa



Description	Λ	white	black
705lm 927 9W	30°	117CW9273000	117CB9273000
720lm 930 9W	30°	117CW9303000	117CB9303000
930lm 840 9W	30°	117DW8403000	117DB8403000
705lm 927 9W	45°	117CW9274500	117CB9274500
720lm 930 9W	45°	117CW9304500	117CB9304500
930lm 840 9W	45°	117DW8404500	117DB8404500
Driver (500mA/18.4Vf) must be ordered separately.			
1240lm 927 12.5W	36°	117EW9273600	117EB9273600
1280lm 930 12.5W	36°	117FW9303600	117FB9303600
1550lm 840 12.5W	36°	117GW8403600	117GB8403600
1240lm 927 12.5W	45°	117EW9274500	117EB9274500
1280lm 930 12.5W	45°	117FW9304500	117FB9304500
1550lm 840 12.5W	45°	117GW8404500	117GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products



5 years
warranty



PIAZZA LENTE

The Piazza Lente is an adjustable led downlight. The square shape makes it ideal for use in modern architecture. The spot can be rotated 350°, available with three types of optical lenses. This makes the Karizma Luce Piazza Lente like an Italian square: lively and versatile.

Piazza Lente

IP20
IP43


CRI
80/90

PHASE
CUT
DIM

CUT-OUT
Ø100mm
110mm x 110mm

CASAMBI

DIM TO
WARM



Description	Λ	white	black
705lm 927 9W	22°	118CW9272200	118CB9272200
720lm 930 9W	22°	118CW9302200	118CB9302200
930lm 840 9W	22°	118DW8402200	118DB8402200
705lm 927 9W	36°	118CW9273600	118CB9273600
720lm 930 9W	36°	118CW9303600	118CB9303600
930lm 840 9W	36°	118DW8403600	118DB8403600
705lm 927 9W	60°	118CW9276000	118CB9276000
720lm 930 9W	60°	118CW9306000	118CB9306000
930lm 840 9W	60°	118DW8406000	118DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

1240lm 927 12.5W	30°	118EW9273000	118EB9273000
1280lm 930 12.5W	30°	118FW9303000	118FB9303000
1550lm 840 12.5W	30°	118GW8403000	118GB8403000
1240lm 927 12.5W	40°	118EW9274000	118EB9274000
1280lm 930 12.5W	40°	118FW9304000	118FB9304000
1550lm 840 12.5W	40°	118GW8404000	118GB8404000
1240lm 927 12.5W	60°	118EW9276000	118EB9276000
1280lm 930 12.5W	60°	118FW9306000	118FB9306000
1550lm 840 12.5W	60°	118GW8406000	118GB8406000

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products




Corsa Lente
p. 92



Corsa
p. 94



Piazza
p. 98




Doppio Lente
p. 102



Doppio
p. 104

5 years warranty



PIAZZA

The Piazza is an adjustable led downlight. Besides the stylish square looks, also his versatility is striking. The Karizma Luce Piazza can be ordered with a 24°, 30° or 38° aluminium reflector and is 350° rotatable. This puts ambient lighting to another level.


Piazza

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
705lm 927 9W	30°	119CW9273000	119CB9273000
720lm 930 9W	30°	119CW9303000	119CB9303000
930lm 840 9W	30°	119DW8403000	119DB8403000
705lm 927 9W	45°	119CW9274500	119CB9274500
720lm 930 9W	45°	119CW9304500	119CB9304500
930lm 840 9W	45°	119DW8404500	119DB8404500

Driver (500mA/18.4Vf) must be ordered separately.

1240lm 927 12.5W	36°	119EW9273600	119EB9273600
1280lm 930 12.5W	36°	119FW9303600	119FB9303600
1550lm 840 12.5W	36°	119GW8403600	119GB8403600
1240lm 927 12.5W	45°	119EW9274500	119EB9274500
1280lm 930 12.5W	45°	119FW9304500	119FB9304500
1550lm 840 12.5W	45°	119GW8404500	119GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products

Corsa Lente
p. 92

Corsa
p. 94

Piazza Lente
p. 96

Doppio Lente
p. 102

Doppio
p. 104




5 years warranty



DOPPIO LENTE

The Doppio Lente is an adjustable led downlight with optical lenses. Double the looks, double the lighting power! This square downlight has top level looks, and so is his performance. Each light source can be controlled individually. LED’s delight your hotel, restaurant, museum, office or home with Karizma Luce Doppio Lente.

Doppio Lente



Description	Λ	white	black
2x705lm 927 2x9W	22°	120CW9272200	120CB9272200
2x720lm 930 2x9W	22°	120CW9302200	120CB9302200
2x930lm 840 2x9W	22°	120DW8402200	120DB8402200
2x705lm 927 2x9W	36°	120CW9273600	120CB9273600
2x720lm 930 2x9W	36°	120CW9303600	120CB9303600
2x930lm 840 2x9W	36°	120DW8403600	120DB8403600
2x705lm 927 2x9W	60°	120CW9276000	120CB9276000
2x720lm 930 2x9W	60°	120CW9306000	120CB9306000
2x930lm 840 2x9W	60°	120DW8406000	120DB8406000

Driver (500mA/18.4Vf) must be ordered separately.

2x1240lm 927 2x12.5W	30°	120EW9273000	120EB9273000
2x1280lm 930 2x12.5W	30°	120FW9303000	120FB9303000
2x1550lm 840 2x12.5W	30°	120GW8403000	120GB8403000
2x1240lm 927 2x12.5W	40°	120EW9274000	120EB9274000
2x1280lm 930 2x12.5W	40°	120FW9304000	120FB9304000
2x1550lm 840 2x12.5W	40°	120GW8404000	120GB8404000
2x1240lm 927 2x12.5W	60°	120EW9276000	120EB9276000
2x1280lm 930 2x12.5W	60°	120FW9306000	120FB9306000
2x1550lm 840 2x12.5W	60°	120GW8406000	120GB8406000

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products




5 years warranty



• DOPPIO

The Doppio is an adjustable led downlight. It creates an enjoyable atmosphere, where two light sources can be adjusted and controlled individually. Each spot of the Karizma Luce Doppio is 350° rotatable and tiltable up to 30° with different options of beam angles, lumen output, CRI or CCT. How more versatile do you want it?

Doppio




Description	Λ	white	black
2x705lm 927 2x9W	30°	121CW9273000	121CB9273000
2x720lm 930 2x9W	30°	121CW9303000	121CB9303000
2x930lm 840 2x9W	30°	121DW8403000	121DB8403000
2x705lm 927 2x9W	45°	121CW9274500	121CB9274500
2x720lm 930 2x9W	45°	121CW9304500	121CB9304500
2x930lm 840 2x9W	45°	121DW8404500	121DB8404500
Driver (500mA/18.4Vf) must be ordered separately.			
2x1240lm 927 2x12.5W	36°	121EW9273600	121EB9273600
2x1280lm 930 2x12.5W	36°	121FW9303600	121FB9303600
2x1550lm 840 2x12.5W	36°	121GW8403600	121GB8403600
2x1240lm 927 2x12.5W	45°	121EW9274500	121EB9274500
2x1280lm 930 2x12.5W	45°	121FW9304500	121FB9304500
2x1550lm 840 2x12.5W	45°	121GW8404500	121GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products



5 years warranty



• FORTE

The Forte is an adjustable downlight. It has a robust look, and that's why we called it Forte. It really puts some extra character in any building. No wonder it is very beloved by architects. And that is just the looks. Discover the many possibilities the Karizma Luce Forte has for your lighting project.



Forte

IP20
IP43

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Λ	white	black
1290lm 927 12.5W	38°	122FW9273800	122FB9273800
1350lm 930 12.5W	38°	122FW9303800	122FB9303800
1630lm 840 12.5W	38°	122GW8403800	122GB8403800
1290lm 927 12.5W	45°	122FW9274500	122FB9274500
1350lm 930 12.5W	45°	122FW9304500	122FB9304500
1630lm 840 12.5W	45°	122GW8404500	122GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products

Valore
p. 108

Grandezza
p. 112


5 years
warranty



• VALORE

The Valore is an adjustable led downlight. Valore means ‘value’. And that’s what this beautiful luminaire proves in many ways. The deep recessed led module can be controlled individually. They strike a bit of gold from any ceiling. The Karizma Luce Valore instantly puts value in every office, gallery, restaurant or home.

Valore



Description	^	white	black
2x1290lm 927 2x12.5W	38°	123FW9273800	123FB9273800
2x1350lm 930 2x12.5W	38°	123FW9303800	123FB9303800
2x1630lm 840 2x12.5W	38°	123GW8403800	123GB8403800
2x1290lm 927 2x12.5W	45°	123FW9274500	123FB9274500
2x1350lm 930 2x12.5W	45°	123FW9304500	123FB9304500
2x1630lm 840 2x12.5W	45°	123GW8404500	123GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately

Family products



Forte
p. 106



Grandezza
p. 112





5 years
warranty



• GRANDEZZA

The Grandezza is an adjustable led downlight with a deep recessed led module. Thanks to its size and striking design, it really makes an impact. The three light sources can be adjusted separately. This is why the Karizma Luce Grandezza makes a big contribution to your lighting plan.

Grandezza



Description	∧	white	black
3x1290lm 927 3x12.5W	38°	124FW9273800	124FB9273800
3x1350lm 930 3x12.5W	38°	124FW9303800	124FB9303800
3x1630lm 840 3x12.5W	38°	124GW8403800	124GB8403800
3x1290lm 927 3x12.5W	45°	124FW9274500	124FB9274500
3x1350lm 930 3x12.5W	45°	124FW9304500	124FB9304500
3x1630lm 840 3x12.5W	45°	124GW8404500	124GB8404500

Driver (350mA/33.8-35.9Vf) must be ordered separately.

Family products



Forte
p. 106



Valore
p. 108




FONTANA S




• FONTANA

The Fontana is eccentric track spotlight with optical lens in a diagonal tube form. A powerful statement. The Karizma Luce Fontana enriches every interior where focused warm light with a high CRI is desired. His pronounced design fits perfectly in showrooms, galleries, museums, bars and restaurants.




FONTANA M



Family products




Fontana S



Description	∧	white	black	grey
670lm 927 10W	36°	126CW9273600	126CB9273600	126CG9273600
700lm 930 10W	36°	126CW9303600	126CB9303600	126CG9303600
850lm 840 10W	36°	126DW8403600	126DB8403600	126DG8403600

Fontana M



Description	∧	white	black	grey
670lm 927 10W	36°	125CW9273600	125CB9273600	125CG9273600
700lm 930 10W	36°	125CW9303600	125CB9303600	125CG9303600
850lm 840 10W	36°	125DW8403600	125DB8403600	125DG8403600





3 years warranty

• GIOVANNI


Not the type that works in the background, but full of real Italian courage. The Giovanni is eccentric track spotlight with optical lens in a diagonal tube form, just like his shorter brother Fontana. The Giovanni (with a tube of 397 mm and 30 mm diameter) makes a statement in every interior where focused warm light with a high CRI is desired.

Giovanni

IP20
IP20

CRI
90

PHASE
CUT
DIM



Description	Λ	white	black
380lm 927 6W	30°	127BW9273000	127BB9273000
400lm 930 6W	30°	127BW9303000	127BB9303000

Family products




Fontana
p. 114

RECESSED

LUMINAIRES

TRIMLESS

5 years
warranty

• DEA DIANA

When you want to go subtle, you have to go trimless. The Dea Diana offers a whole new lighting experience. The deep module, elegant looks and endless range of applications guarantee a refined look. The reflectors can be changed in case of wish or need, because they are fixed by a magnet. In this way, the Dea Diana always meets your wishes.



BLACK/GOLD




BLACK/SILVER HIGH GLOSS



BLACK/WHITE



BLACK/BLACK HIGH GLOSS



BLACK/BLACK MATT



BLACK/CHROME




WHITE/GOLD




WHITE/SILVER HIGH GLOSS



WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT



WHITE/CHROME

Dea Diana M

black
high
gloss

silver
high
gloss

chrome

white

gold

black
matt


IP20
CUT
IP20

CRI
90

PHASE
CUT
DIM

TRIT

DIM TO
WARM



Description	reflector	∧	white	black
830lm 927 8.5W	black high gloss	40°	220DW92740BG00	220DB92740BG00
860lm 930 8.5W	black high gloss	40°	220DW93040BG00	220DB93040BG00
870lm 940 8.5W	black high gloss	40°	220DW94040BG00	220DB94040BG00
900lm 927 8.5W	silver high gloss	40°	220DW92740SG00	220DB92740SG00
950lm 930 8.5W	silver high gloss	40°	220DW93040SG00	220DB93040SG00
960lm 940 8.5W	silver high gloss	40°	220DW94040SG00	220DB94040SG00
890lm 927 8.5W	chrome	40°	220DW92740CH00	220DB92740CH00
930lm 930 8.5W	chrome	40°	220DW93040CH00	220DB93040CH00
940lm 940 8.5W	chrome	40°	220DW94040CH00	220DB94040CH00
840lm 927 8.5W	white	40°	220DW92740WH00	220DB92740WH00
880lm 930 8.5W	white	40°	220DW93040WH00	220DB93040WH00
890lm 940 8.5W	white	40°	220DW94040WH00	220DB94040WH00
840lm 927 8.5W	gold	40°	220DW92740GO00	220DB92740GO00
880lm 930 8.5W	gold	40°	220DW93040GO00	220DB93040GO00
890lm 940 8.5W	gold	40°	220DW94040GO00	220DB94040GO00
760lm 927 8.5W	black matt	40°	220DW92740BM00	220DB92740BM00
800lm 930 8.5W	black matt	40°	220DW93040BM00	220DB93040BM00
810lm 940 8.5W	black matt	40°	220DW94040BM00	220DB94040BM00

Driver (250mA/33.2Vf) must be ordered separately.

Family products



p. 200 / p. 205

LINEAR

127

LUMINAIRES


3 years warranty



• TRE

This highly efficient linear downlight includes 3 (Tre) reflectors and a low glare. This makes it perfect for use in workspaces and offices. The Karizma Luce Tre unites modern form and function with perfect illumination for minimum operating costs. The Tre has a black interior and offers different beam angles (15°, 30°, 45°), colours, CCT, and CRI.

Tre



Description	∧	white	black	grey
500lm 927 8W	15°	301CW92715F0	301CB92715F0	301CG92715F0
550lm 930 8W	15°	301CW93015F0	301CB93015F0	301CG93015F0
500lm 927 8W	30°	301CW92730F0	301CB92730F0	301CG92730F0
550lm 930 8W	30°	301CW93030F0	301CB93030F0	301CG93030F0
500lm 927 8W	45°	301CW92745F0	301CB92745F0	301CG92745F0
550lm 930 8W	45°	301CW93045F0	301CB93045F0	301CG93045F0

Family products



3 years warranty



• SEI

The functional design of this highly efficient linear downlight includes 6 (Sei) reflectors and a low glare. Together with the high-quality black interior it's the perfect choice for utility and office lighting. The Sei unites modern form and function with perfect illumination for minimum operating costs.

Sei


IP20

IP20

CRI 90

PHASE CUT DIM

CASAMBI



Description	∧	white	black	grey
760lm 927 10W	15°	302DW92715F0	302DB92715F0	302DG92715F0
850lm 930 10W	15°	302DW93015F0	302DB93015F0	302DG93015F0
760lm 927 10W	30°	302DW92730F0	302DB92730F0	302DG92730F0
850lm 930 10W	30°	302DW93030F0	302DB93030F0	302DG93030F0
760lm 927 10W	45°	302DW92745F0	302DB92745F0	302DG92745F0
850lm 930 10W	45°	302DW93045F0	302DB93045F0	302DG93045F0

Family products



Tre
p. 128



Dodici
p. 134



Diciotto
p. 136



Dodici Track
p. 138



Diciotto Track
p. 140



Ventiquattro
Track p. 142



Giusto
p. 196



3 years warranty



DODICI

The Dodici includes 12 (Dodici) reflectors and a very low glare. This makes it perfect for use in utility and office lighting. The recessed Dodici unites modern form and function with perfect illumination for minimum operating costs. The different beam angles (15°, 30°, 45°), colours, CCT, and CRI make this a luminaire with unrivalled possibilities.

Dodici

IP20

IP20

CRI

90

PHASE CUT DIM

CASAMBI

	Description	Λ	white	black	grey
	1550lm 927 19.5W	15°	303GW92715F0	303GB92715F0	303GG92715F0
	1650lm 930 19.5W	15°	303GW93015F0	303GB93015F0	303GG93015F0
	1550lm 927 19.5W	30°	303GW92730F0	303GB92730F0	303GG92730F0
	1650lm 930 19.5W	30°	303GW93030F0	303GB93030F0	303GG93030F0
	1550lm 927 19.5W	45°	303GW92745F0	303GB92745F0	303GG92745F0
	1650lm 930 19.5W	45°	303GW93045F0	303GB93045F0	303GG93045F0

Family products

Tre
p. 128

Sei
p. 130

Diciotto
p. 136

Dodici Track
p. 138

Diciotto Track
p. 140

Ventiquattro
Track p. 142

Giusto
p. 196

3 years warranty



• DICIOTTO

The Diciotto recessed linear downlight includes 18 (Diciotto) reflectors and a low glare. This makes it a powerful solution for lighting in big workspaces and offices. The Diciotto unites modern form and function with perfect illumination for minimum operating costs. Optimize your solution with different beam angles (15°, 30°, 45°), colours and CCT.

Diciotto

IP20

IP20


CRI

90

PHASE CUT

DIM

CASAMBI



Description	Λ	white	black	grey
2450lm 927 32W	15°	304JW92715F0	304JB92715F0	304JG92715F0
2570lm 930 32W	15°	304KW93015F0	304KB93015F0	304KG93015F0
2450lm 927 32W	30°	304JW92730F0	304JB92730F0	304JG92730F0
2570lm 930 32W	30°	304KW93030F0	304KB93030F0	304KG93030F0
2450lm 927 32W	45°	304JW92745F0	304JB92745F0	304JG92745F0
2570lm 930 32W	45°	304KW93045F0	304KB93045F0	304KG93045F0

Family products

Tre
p. 128

Sei
p. 130

Dodici
p. 134

Dodici Track
p. 138

Diciotto Track
p. 140

Ventiquattro
Track p. 142

Giusto
p. 196


5 years warranty



• DODICI TRACK

Powerful but balanced lighting, anywhere you want it. That is what the Dodici Track (12 light sources, 347 mm) has to offer you. Simply click the elegant fixture in your track and tilt as desired. Distinctive? Yes, thanks to the compact size, the minimalist design and the contemporary black interior.

Dodici Track




Description	Λ	white	black
1550lm 927 19.5W	15°	701GW92715F0	701GB92715F0
1650lm 930 19.5W	15°	701GW93015F0	701GB93015F0
1750lm 830 19.5W	15°	701HW83015F0	701HB83015F0
1550lm 927 19.5W	30°	701GW92730F0	701GB92730F0
1650lm 930 19.5W	30°	701GW93030F0	701GB93030F0
1750lm 830 19.5W	30°	701HW83030F0	701HB83030F0
1550lm 927 19.5W	45°	701GW92745F0	701GB92745F0
1650lm 930 19.5W	45°	701GW93045F0	701GB93045F0
1750lm 830 19.5W	45°	701HW83045F0	701HB83045F0

Family products



5 years
warranty



• DICIOTTO TRACK

Looking for a flexible and powerful lighting solution? The Diciotto Track (18 light sources, 506 mm) offers you freedom of movement. Simply click the elegant fixture in the track and tilt as desired. Thanks to its low glare it creates the perfect light image in any office, showroom or general area in no time.

Diciotto Track

IP20
IP20

CRI
80/90



Description	∧	white	black
2400lm 927 32W	15°	702JW92715F0	702JB92715F0
2550lm 930 32W	15°	702KW93015F0	702KB93015F0
2650lm 830 32W	15°	702KW83015F0	702KB83015F0
2400lm 927 32W	30°	702JW92730F0	702JB92730F0
2550lm 930 32W	30°	702KW93030F0	702KB93030F0
2650lm 830 32W	30°	702KW83030F0	702KB83030F0
2400lm 927 32W	45°	702JW92745F0	702JB92745F0
2550lm 930 32W	45°	702KW93045F0	702KB93045F0
2650lm 830 32W	45°	702KW83045F0	702KB83045F0

Family products



Tre
p. 128




Sei
p. 130




Dodici
p. 134



Diciotto
p. 136



Dodici Track
p. 138



Ventiquattro
Track p. 142



Giusto
p. 196


5 years
warranty



• VENTIQUATTRO TRACK

The Ventiquattro Track proves that major measures can also have a subtle side. The Ventiquattro Track (24 light sources, 666 mm) is our longest track luminaire. But thanks to its versatility in applications this allrounder is also able to make a modest impression. Whatever you prefer, this big boy gets the job done in any spacious office or showroom.

Ventiquattro Track



Description	^	white	black
2700lm 927 40W	15°	703KW92715F0	703KB92715F0
2850lm 930 40W	15°	703LW93015F0	703LB93015F0
3000lm 830 40W	15°	703MW83015F0	703MB83015F0
2700lm 927 40W	30°	703KW92730F0	703KB92730F0
2850lm 930 40W	30°	703LW93030F0	703LB93030F0
3000lm 830 40W	30°	703MW83030F0	703MB83030F0
2700lm 927 40W	45°	703KW92745F0	703KB92745F0
2850lm 930 40W	45°	703LW93045F0	703LB93045F0
3000lm 830 40W	45°	703MW83045F0	703MB83045F0


Family products



TRACK


145


LUMINAIRES



• **DEA JUNO**

The 3-phase track luminaire Dea Juno is a real eye-catcher thanks to its small measurements, deep recessed light source and beautiful colour options. Use the Dea Juno in combination with Casambi to create a smart and balanced lighting solution. Particularly suitable for use in boutiques, hospitality and even in homes.





WHITE/GOLD




WHITE/SILVER HIGH GLOSS



WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT




WHITE/CHROME

Family products




p. 200 / p. 205

Dea Juno S



Description	reflector	∧	white	black
960lm 927 12W	black high gloss	40°	606DW92740BGFO	606DB92740BGFO
1000lm 930 12W	black high gloss	40°	606EW93040BGFO	606EB93040BGFO
1020lm 940 12W	black high gloss	40°	606EW94040BGFO	606EB94040BGFO
1050lm 927 12W	silver high gloss	40°	606EW92740SGFO	606EB92740SGFO
1100lm 930 12W	silver high gloss	40°	606EW93040SGFO	606EB93040SGFO
1120lm 940 12W	silver high gloss	40°	606EW94040SGFO	606EB94040SGFO
1030lm 927 12W	chrome	40°	606EW92740CHFO	606EB92740CHFO
1080lm 930 12W	chrome	40°	606EW93040CHFO	606EB93040CHFO
1100lm 940 12W	chrome	40°	606EW94040CHFO	606EB94040CHFO
970lm 927 12W	white	40°	606DW92740WHFO	606DB92740WHFO
1020lm 930 12W	white	40°	606EW93040WHFO	606EB93040WHFO
1030lm 940 12W	white	40°	606EW94040WHFO	606EB94040WHFO
970lm 927 12W	gold	40°	606DW92740GOFO	606DB92740GOFO
1020lm 930 12W	gold	40°	606EW93040GOFO	606EB93040GOFO
1030lm 940 12W	gold	40°	606EW94040GOFO	606EB94040GOFO
880lm 927 12W	black matt	40°	606DW92740BMFO	606DB92740BMFO
930lm 930 12W	black matt	40°	606DW93040BMFO	606DB93040BMFO
940lm 940 12W	black matt	40°	606DW94040BMFO	606DB94040BMFO

Dea Juno M



Description	reflector	∧	white	black
1550lm 927 20W	black high gloss	40°	607GW92740BGFO	607GB92740BGFO
1600lm 930 20W	black high gloss	40°	607GW93040BGFO	607GB93040BGFO
1650lm 940 20W	black high gloss	40°	607GW94040BGFO	607GB94040BGFO
1750lm 927 20W	silver high gloss	40°	607HW92740SGFO	607HB92740SGFO
1750lm 930 20W	silver high gloss	40°	607HW93040SGFO	607HB93040SGFO
1800lm 940 20W	silver high gloss	40°	607HW94040SGFO	607HB94040SGFO
1650lm 927 20W	chrome	40°	607GW92740CHFO	607GB92740CHFO
1700lm 930 20W	chrome	40°	607GW93040CHFO	607GB93040CHFO
1750lm 940 20W	chrome	40°	607HW94040CHFO	607HB94040CHFO
1650lm 927 20W	white	40°	607GW92740WHFO	607GB92740WHFO
1650lm 930 20W	white	40°	607GW93040WHFO	607GB93040WHFO
1700lm 940 20W	white	40°	607GW94040WHFO	607GB94040WHFO
1600lm 927 20W	gold	40°	607GW92740GOFO	607GB92740GOFO
1650lm 930 20W	gold	40°	607GW93040GOFO	607GB93040GOFO
1700lm 940 20W	gold	40°	607GW94040GOFO	607GB94040GOFO
1500lm 927 20W	black matt	40°	607GW92740BMFO	607GB92740BMFO
1550lm 930 20W	black matt	40°	607GW93040BMFO	607GB93040BMFO
1600lm 940 20W	black matt	40°	607GW94040BMFO	607GB94040BMFO




• VUOTO

In Italian, Vuoto means empty, hollow. And that is exactly what it is. The compact Vuoto has no light source. Simply apply a GU10 light source of your choice. That makes this spotlight an ideal lighting solution for luxurious homes and catering establishments.

Vuoto

IP20	GU10
IP20	



Description	white	black	grey
1-Phase	605AW00000L0	605AB00000L0	605AG00000L0
3-Phase	605AW0000000	605AB0000000	605AG0000000


Light source must be ordered separately.



• STRETTO

Thanks to the integrated driver and 3-phase adapter, the compact spotlight Stretto can be used both stylishly and flexibly. The Stretto is equipped with a 20° or 36° lens, is 90° tiltable and can be rotated 350°. The Stretto can be ordered with a (phase-cut) dimming option. It's also available with dim to warm and Casambi. Perfect for restaurants, cafeterias and bars.

Stretto



Description	Λ	white	black	grey
1000lm 927 9.5W	20°	604EW92720F0	604EB92720F0	604EG92720F0
1160lm 930 9.5W	20°	604EW93020F0	604EB93020F0	604EG93020F0
1250lm 840 9.5W	20°	604FW84020F0	604FB84020F0	604FG84020F0
1000lm 927 9.5W	36°	604EW92736F0	604EB92736F0	604EG92736F0
1160lm 930 9.5W	36°	604EW93036F0	604EB93036F0	604EG93036F0
1250lm 840 9.5W	36°	604FW84036F0	604FB84036F0	604FG84036F0





3 years warranty

• LUSO

The Lusso is a track led spotlight with an optical lens, luxurious and above all: very flexible in use. This luminaire is for use on a 3-phase track. This – and the extensive lighting possibilities – makes the Lusso the luminaire of choice in retail environments. Simply highlight what you want and adjust whenever you want.

Lusso

IP20


IP20

CRI

90

PHASE CUT

DIM



Description	^	white	black	grey
950lm 927 14W	24°	601DW92724F0	601DB92724F0	601DG92724F0
1000lm 930 14W	24°	601EW93024F0	601EB93024F0	601EG93024F0
950lm 927 14W	36°	601DW92736F0	601DB92736F0	601DG92736F0
1000lm 930 14W	36°	601EW93036F0	601EB93036F0	601EG93036F0



• TESORO

The Tesoro is a powerful track led spotlight with reflector, luxurious and extremely versatile. This small track spot is for use on a 3-phase track. This makes the Tesoro the luminaire of choice in a retail and hospitality. Choose from several options in colour, controllability, CCT and beam angels. No wonder the elegant Tesoro is a favourite among lighting designers.


Tesoro

IP20
IP20

CRI
80/90

PHASE
CUT
DIM

CASAMBI



Description	Beam angle	white	black
1550lm 927 19W	20°	603GW9272000	603GB9272000
1650lm 930 19W	20°	603GW9302000	603GB9302000
1800lm 940 19W	20°	603HW9402000	603HB9402000
2200lm 840 19W	20°	603IW8402000	603IB8402000
1550lm 927 19W	30°	603GW9273000	603GB9273000
1650lm 930 19W	30°	603GW9303000	603GB9303000
1800lm 940 19W	30°	603HW9403000	603HB9403000
2200lm 840 19W	30°	603IW8403000	603IB8403000
1550lm 927 19W	45°	603GW9274500	603GB9274500
1650lm 930 19W	45°	603GW9304500	603GB9304500
1800lm 940 19W	45°	603HW9404500	603HB9404500
2200lm 840 19W	45°	603IW8404500	603IB8404500



“Charm is intangible. Chutzpah, charm, charisma, that kind of thing, **you can’t buy it. You either have it or you don’t.**”



• PIATTO

When you need excellent square lighting, the Piatto is the luminaire of choice. Use the Piatto on a 3-phase track and change its position in an instant. This makes it an exquisite solution for museum and big surfaces in retail environments. It's also perfect for today's offices, with its constantly changing arrangement of the workstations.



PIATTO S



PIATTO M



PIATTO L



PIATTO S



PIATTO M



PIATTO L


Piatto S

IP20

IP20

CRI

90



Description	^	white	black
1150lm 927 18W	15°	608EW9271500	608EB9271500
1150lm 930 18W	15°	608EW9301500	608EB9301500
1250lm 940 18W	15°	608FW9401500	608FB9401500
1150lm 927 18W	35°	608EW9273500	608EB9273500
1150lm 930 18W	35°	608EW9303500	608EB9303500
1250lm 940 18W	35°	608FW9403500	608FB9403500
1150lm 927 18W	45°	608EW9274500	608EB9274500
1150lm 930 18W	45°	608EW9304500	608EB9304500
1250lm 940 18W	45°	608FW9404500	608FB9404500


Piatto M

IP20

IP20

CRI

90



Description	^	white	black
1450lm 927 24W	15°	609FW9271500	609FB9271500
1450lm 930 24W	15°	609FW9301500	609FB9301500
1550lm 940 24W	15°	609GW9401500	609GB9401500
1450lm 927 24W	35°	609FW9273500	609FB9273500
1450lm 930 24W	35°	609FW9303500	609FB9303500
1550lm 940 24W	35°	609GW9403500	609GB9403500
1450lm 927 24W	45°	609FW9274500	609FB9274500
1450lm 930 24W	45°	609FW9304500	609FB9304500
1550lm 940 24W	45°	609GW9404500	609GB9404500

Piatto L

IP20


IP20

CRI

90



CASAMBI



Description	^	white	black
1850lm 927 28W	15°	610HW9271500	610HB9271500
1950lm 930 28W	15°	610HW9301500	610HB9301500
2050lm 940 28W	15°	610IW9401500	610IB9401500
1850lm 927 28W	35°	610HW9273500	610HB9273500
1950lm 930 28W	35°	610HW9303500	610HB9303500
2050lm 940 28W	35°	610IW9403500	610IB9403500
1850lm 927 28W	45°	610HW9274500	610HB9274500
1950lm 930 28W	45°	610HW9304500	610HB9304500
2050lm 940 28W	45°	610IW9404500	610IB9404500



SURFACE

169

LUMINAIRES

5 years
warranty



• **DEA FLORA**

The round tiltable surface-mounted Dea Flora offers the best of two worlds. Not only is the Dea Flora a beautiful addition to every interior, this downlight also offers the same sizes and lumen packages as our recessed downlights. Ideal for use in rooms where ceilings don't permit recessed luminaires. Delight your project by choosing one of the six available colour options and endless applications.



BLACK/GOLD



BLACK/SILVER HIGH GLOSS



BLACK/WHITE



BLACK/BLACK HIGH GLOSS



BLACK/BLACK MATT



BLACK/CHROME



WHITE/GOLD



WHITE/SILVER HIGH GLOSS



WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT




WHITE/CHROME

Family products




p. 200 / p. 205

Dea Flora S





Description	reflector	Λ	white	black
830lm 927 10.5W	black high gloss	40°	402DW92740BGF0	402DB92740BGF0
860lm 930 10.5W	black high gloss	40°	402DW93040BGF0	402DB93040BGF0
870lm 940 10.5W	black high gloss	40°	402DW94040BGF0	402DB94040BGF0
900lm 927 10.5W	silver high gloss	40°	402DW92740SGF0	402DB92740SGF0
950lm 930 10.5W	silver high gloss	40°	402DW93040SGF0	402DB93040SGF0
960lm 940 10.5W	silver high gloss	40°	402DW94040SGF0	402DB94040SGF0
890lm 927 10.5W	chrome	40°	402DW92740CHF0	402DB92740CHF0
930lm 930 10.5W	chrome	40°	402DW93040CHF0	402DB93040CHF0
940lm 940 10.5W	chrome	40°	402DW94040CHF0	402DB94040CHF0
840lm 927 10.5W	white	40°	402DW92740WHF0	402DB92740WHF0
880lm 930 10.5W	white	40°	402DW93040WHF0	402DB93040WHF0
890lm 940 10.5W	white	40°	402DW94040WHF0	402DB94040WHF0
840lm 927 10.5W	gold	40°	402DW92740GOF0	402DB92740GOF0
880lm 930 10.5W	gold	40°	402DW93040GOF0	402DB93040GOF0
890lm 940 10.5W	gold	40°	402DW94040GOF0	402DB94040GOF0
760lm 927 10.5W	black matt	40°	402DW92740BMF0	402DB92740BMF0
800lm 930 10.5W	black matt	40°	402DW93040BMF0	402DB93040BMF0
810lm 940 10.5W	black matt	40°	402DW94040BMF0	402DB94040BMF0

Dea Flora M




Description	reflector	Λ	white	black
1140lm 927 14W	black high gloss	40°	401EW92740BGF0	401EB92740BGF0
1180lm 930 14W	black high gloss	40°	401EW93040BGF0	401EB93040BGF0
1200lm 940 14W	black high gloss	40°	401EW94040BGF0	401EB94040BGF0
1240lm 927 14W	silver high gloss	40°	401EW92740SGF0	401EB92740SGF0
1290lm 930 14W	silver high gloss	40°	401FW93040SGF0	401FB93040SGF0
1300lm 940 14W	silver high gloss	40°	401FW94040SGF0	401FB94040SGF0
1200lm 927 14W	chrome	40°	401EW92740CHF0	401EB92740CHF0
1260lm 930 14W	chrome	40°	401FW93040CHF0	401FB93040CHF0
1270lm 940 14W	chrome	40°	401FW94040CHF0	401FB94040CHF0
1160lm 927 14W	white	40°	401EW92740WHF0	401EB92740WHF0
1200lm 930 14W	white	40°	401EW93040WHF0	401EB93040WHF0
1220lm 940 14W	white	40°	401EW94040WHF0	401EB94040WHF0
1160lm 927 14W	gold	40°	401EW92740GOF0	401EB92740GOF0
1200lm 930 14W	gold	40°	401EW93040GOF0	401EB93040GOF0
1220lm 940 14W	gold	40°	401EW94040GOF0	401EB94040GOF0
1060lm 927 14W	black matt	40°	401EW92740BMF0	401EB92740BMF0
1120lm 930 14W	black matt	40°	401EW93040BMF0	401EB93040BMF0
1130lm 940 14W	black matt	40°	401EW94040BMF0	401EB94040BMF0




5 years
warranty

• DEA FAUNA


The Dea Fauna is a square tiltable surface-mounted downlight. It's truly is an outstanding feature in every environment. This downlight offers the same sizes and lumen packages as our recessed downlights. This guarantees a very high performance, also in rooms where ceilings don't permit recessed luminaires. Make your choice out of the six available colour options and the endless applications.




BLACK/GOLD




BLACK/SILVER HIGH GLOSS




BLACK/WHITE




BLACK/BLACK HIGH GLOSS



BLACK/BLACK MATT




BLACK/CHROME



WHITE/GOLD




WHITE/SILVER HIGH GLOSS




WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT



WHITE/CHROME



Family products



Dea Della Luce[®]
by KARIZMA^{lucel}



p. 200 / p. 205

Dea Fauna S



Description	reflector	Λ	white	black
830lm 927 10.5W	black high gloss	40°	404DW92740BGF0	404DB92740BGF0
860lm 930 10.5W	black high gloss	40°	404DW93040BGF0	404DB93040BGF0
870lm 940 10.5W	black high gloss	40°	404DW94040BGF0	404DB94040BGF0
900lm 927 10.5W	silver high gloss	40°	404DW92740SGF0	404DB92740SGF0
950lm 930 10.5W	silver high gloss	40°	404DW93040SGF0	404DB93040SGF0
960lm 940 10.5W	silver high gloss	40°	404DW94040SGF0	404DB94040SGF0
890lm 927 10.5W	chrome	40°	404DW92740CHF0	404DB92740CHF0
930lm 930 10.5W	chrome	40°	404DW93040CHF0	404DB93040CHF0
940lm 940 10.5W	chrome	40°	404DW94040CHF0	404DB94040CHF0
840lm 927 10.5W	white	40°	404DW92740WHF0	404DB92740WHF0
880lm 930 10.5W	white	40°	404DW93040WHF0	404DB93040WHF0
890lm 940 10.5W	white	40°	404DW94040WHF0	404DB94040WHF0
840lm 927 10.5W	gold	40°	404DW92740GOF0	404DB92740GOF0
880lm 930 10.5W	gold	40°	404DW93040GOF0	404DB93040GOF0
890lm 940 10.5W	gold	40°	404DW94040GOF0	404DB94040GOF0
760lm 927 10.5W	black matt	40°	404DW92740BMF0	404DB92740BMF0
800lm 930 10.5W	black matt	40°	404DW93040BMF0	404DB93040BMF0
810lm 940 10.5W	black matt	40°	404DW94040BMF0	404DB94040BMF0


Dea Fauna M



Description	reflector	Λ	white	black
1140lm 927 14W	black high gloss	40°	403EW92740BGF0	403EB92740BGF0
1180lm 930 14W	black high gloss	40°	403EW93040BGF0	403EB93040BGF0
1200lm 940 14W	black high gloss	40°	403EW94040BGF0	403EB94040BGF0
1240lm 927 14W	silver high gloss	40°	403EW92740SGF0	403EB92740SGF0
1290lm 930 14W	silver high gloss	40°	403FW93040SGF0	403FB93040SGF0
1300lm 940 14W	silver high gloss	40°	403FW94040SGF0	403FB94040SGF0
1200lm 927 14W	chrome	40°	403EW92740CHF0	403EB92740CHF0
1260lm 930 14W	chrome	40°	403FW93040CHF0	403FB93040CHF0
1270lm 940 14W	chrome	40°	403FW94040CHF0	403FB94040CHF0
1160lm 927 14W	white	40°	403EW92740WHF0	403EB92740WHF0
1200lm 930 14W	white	40°	403EW93040WHF0	403EB93040WHF0
1220lm 940 14W	white	40°	403EW94040WHF0	403EB94040WHF0
1160lm 927 14W	gold	40°	403EW92740GOF0	403EB92740GOF0
1200lm 930 14W	gold	40°	403EW93040GOF0	403EB93040GOF0
1220lm 940 14W	gold	40°	403EW94040GOF0	403EB94040GOF0
1060lm 927 14W	black matt	40°	403EW92740BMF0	403EB92740BMF0
1120lm 930 14W	black matt	40°	403EW93040BMF0	403EB93040BMF0
1130lm 940 14W	black matt	40°	403EW94040BMF0	403EB94040BMF0

"Treat your guests as
you do your best pictures,
and **place them in
their best light.**"

5 years
warranty




• DEA FORTUNA

How lucky can you be? With its stylish design and its extensive possibilities to fine-tune the Dea Fortuna brings joy to every place. The two light sources can be controlled independently of each other, giving you the opportunity to add that magical touch anywhere you like. Now it is up to you to choose which of the distinctive colour variants suits your project best.




BLACK/GOLD



BLACK/SILVER HIGH GLOSS




BLACK/WHITE



BLACK/BLACK HIGH GLOSS




BLACK/BLACK MATT



BLACK/CHROME




WHITE/GOLD



WHITE/SILVER HIGH GLOSS




WHITE/WHITE



WHITE/BLACK HIGH GLOSS



WHITE/BLACK MATT



WHITE/CHROME

Family products



p. 200 / p. 205

Dea Fortuna S

black
high
gloss

silver
high
gloss

chrome

white

gold


black
matt

IP20
CUT
IP20

CRI
90

PHASE
CUT
DIM

DIM TO
WARM



Description	reflector	Λ	white	black
2x830lm 927 2x10.5W	black high gloss	40°	406DW92740BGF0	406DB92740BGF0
2x860lm 930 2x10.5W	black high gloss	40°	406DW93040BGF0	406DB93040BGF0
2x870lm 940 2x10.5W	black high gloss	40°	406DW94060BGF0	406DB94060BGF0
2x900lm 927 2x10.5W	silver high gloss	40°	406DW92740SGF0	406DB92740SGF0
2x950lm 930 2x10.5W	silver high gloss	40°	406DW93040SGF0	406DB93040SGF0
2x960lm 940 2x10.5W	silver high gloss	40°	406DW94060SGF0	406DB94060SGF0
2x890lm 927 2x10.5W	chrome	40°	406DW92740CHF0	406DB92740CHF0
2x930lm 930 2x10.5W	chrome	40°	406DW93040CHF0	406DB93040CHF0
2x940lm 940 2x10.5W	chrome	40°	406DW94060CHF0	406DB94060CHF0
2x840lm 927 2x10.5W	white	40°	406DW92740WHF0	406DB92740WHF0
2x880lm 930 2x10.5W	white	40°	406DW93040WHF0	406DB93040WHF0
2x890lm 940 2x10.5W	white	40°	406DW94060WHF0	406DB94060WHF0
2x840lm 927 2x10.5W	gold	40°	406DW92740GOF0	406DB92740GOF0
2x880lm 930 2x10.5W	gold	40°	406DW93040GOF0	406DB93040GOF0
2x890lm 940 2x10.5W	gold	40°	406DW94060GOF0	406DB94060GOF0
2x760lm 927 2x10.5W	black matt	40°	406DW92740BMF0	406DB92740BMF0
2x800lm 930 2x10.5W	black matt	40°	406DW93040BMF0	406DB93040BMF0
2x810lm 940 2x10.5W	black matt	40°	406DW94060BMF0	406DB94060BMF0

SUSPENDED

187

LUMINAIRES

5 years
warranty

• DEA VESTA

The Dea Vesta is like a beautiful dress. You keep looking at it. Simple yet elegant. This pendant luminaire has its own refined way to put light to the place where it's needed: a luxurious kitchen, a beautiful staircase, a stylish bar, a large dinner table. Apply the Dea Vesta in a series to make even more impact.



BLACK/GOLD



BLACK/WHITE



BLACK/BLACK MATT



BLACK/SILVER HIGH GLOSS



BLACK/BLACK HIGH GLOSS




BLACK/CHROME

Family products




Dea Vesta M



Description	reflector	∧	white	black
1140lm 927 14W	black high gloss	40°	501EW92740BGf0	501EB92740BGf0
1180lm 930 14W	black high gloss	40°	501EW93040BGf0	501EB93040BGf0
1200lm 940 14W	black high gloss	40°	501EW94040BGf0	501EB94040BGf0
1240lm 927 14W	silver high gloss	40°	501EW92740SGf0	501EB92740SGf0
1290lm 930 14W	silver high gloss	40°	501FW93040SGf0	501FB93040SGf0
1300lm 940 14W	silver high gloss	40°	501FW94040SGf0	501FB94040SGf0
1200lm 927 14W	chrome	40°	501EW92740CHf0	501EB92740CHf0
1260lm 930 14W	chrome	40°	501FW93040CHf0	501FB93040CHf0
1270lm 940 14W	chrome	40°	501FW94040CHf0	501FB94040CHf0
1160lm 927 14W	white	40°	501EW92740WHf0	501EB92740WHf0
1200lm 930 14W	white	40°	501EW93040WHf0	501EB93040WHf0
1220lm 940 14W	white	40°	501EW94040WHf0	501EB94040WHf0
1160lm 927 14W	gold	40°	501EW92740GOf0	501EB92740GOf0
1200lm 930 14W	gold	40°	501EW93040GOf0	501EB93040GOf0
1220lm 940 14W	gold	40°	501EW94040GOf0	501EB94040GOf0
1060lm 927 14W	black matt	40°	501EW92740BMf0	501EB92740BMf0
1120lm 930 14W	black matt	40°	501EW93040BMf0	501EB93040BMf0
1130lm 940 14W	black matt	40°	501EW94040BMf0	501EB94040BMf0

Dea Vesta M recessed




Description	reflector	∧	white	black
1140lm 927 14W	black high gloss	40°	504EW92740BGf0	504EB92740BGf0
1180lm 930 14W	black high gloss	40°	504EW93040BGf0	504EB93040BGf0
1200lm 940 14W	black high gloss	40°	504EW94040BGf0	504EB94040BGf0
1240lm 927 14W	silver high gloss	40°	504EW92740SGf0	504EB92740SGf0
1290lm 930 14W	silver high gloss	40°	504FW93040SGf0	504FB93040SGf0
1300lm 940 14W	silver high gloss	40°	504FW94040SGf0	504FB94040SGf0
1200lm 927 14W	chrome	40°	504EW92740CHf0	504EB92740CHf0
1260lm 930 14W	chrome	40°	504FW93040CHf0	504FB93040CHf0
1270lm 940 14W	chrome	40°	504FW94040CHf0	504FB94040CHf0
1160lm 927 14W	white	40°	504EW92740WHf0	504EB92740WHf0
1200lm 930 14W	white	40°	504EW93040WHf0	504EB93040WHf0
1220lm 940 14W	white	40°	504EW94040WHf0	504EB94040WHf0
1160lm 927 14W	gold	40°	504EW92740GOf0	504EB92740GOf0
1200lm 930 14W	gold	40°	504EW93040GOf0	504EB93040GOf0
1220lm 940 14W	gold	40°	504EW94040GOf0	504EB94040GOf0
1060lm 927 14W	black matt	40°	504EW92740BMf0	504EB92740BMf0
1120lm 930 14W	black matt	40°	504EW93040BMf0	504EB93040BMf0
1130lm 940 14W	black matt	40°	504EW94040BMf0	504EB94040BMf0

Sales



"There is no delight in
owning anything unshared.
So share your light."

3 years warranty




GIUSTO

Giusto means ‘quite right’ in Italian. And that is exactly what is needed when it comes to lighting in offices. The Giusto is a minimalistic designed suspended luminaire (1200mm) with an excellent cri and of course: a very low glare. Available in black and white, equipped with a modern black interior.



Giusto

IP20	CRI
IP20	80




Description	^	white	black
2900lm 830 32W	15°	801LW83015F0	801LB83015F0
3200lm 840 32W	15°	801MW84015F0	801MB84015F0
2900lm 830 32W	30°	801LW83030F0	801LB83030F0
3200lm 840 32W	30°	801MW84030F0	801MB84030F0
2900lm 830 32W	45°	801LW83045F0	801LB83045F0
3200lm 840 32W	45°	801MW84045F0	801MB84045F0

Family products

 Tre p. 128	 Sei p. 130	 Dodici p. 134	 Diciotto p. 136
 Dodici Track p. 138	 Diciotto Track p. 140	 Ventiquattro Track p. 142	

3 years warranty




• PERLA

Beautify your space with this elegant 400mm and 30mm Ø luminaire. This graceful pendant luminaire will bring a piece of art to any room. The minimalistic slim design and the smooth light created by a 30° lens combined with 2700K, 3000K or 4000K light source in CRI90 surely add charisma to your lighting project.

Perla

IP20	CRI
IP20	90



Description	Λ	white	black	grey
380lm 927 6W	30°	503BW92730F0	503BB92730F0	503BG92730F0
400lm 930 6W	30°	503BW93030F0	503BB93030F0	503BG93030F0

Dea Della Luce
By KARIZMA^{luce}

DEVINE.

ADD A TOUCH OF MAGIC FROM ABOVE WITH DEA DELLA LUCE BY KARIZMA LUCE. THIS EXCLUSIVE LINE OFFERS LIGHTING THAT ISN'T LIMITED BY SIZE. THANKS TO A WIDE RANGE OF OPTIONS, YOU CAN TAKE ANY LIGHTING PROJECT IN THE HOSPITALITY INDUSTRY, OFFICES, OR LUXURY HOUSING SECTOR TO AN UNPRECEDENTED LEVEL.

IT'S ALL ABOUT PURE LIGHT.


Never before has lighting been so at one with its surroundings.

This is because the LED light source and reflector are placed extra deep into the elegant fixture. The result: you can enjoy an experience of pure light. without noticing the light source or any glare. This is not only magical, but also unique in the market.


POWERFUL AND REFINED.

The reflectors are also available in 6 contemporary colours. Together with the deep-set light, the tasteful design, and the ground-breaking specifications, this offers a completely new lighting experience.

Sophisticated and yet powerful, as only a goddess can be.



DEA AMATA



DEA AMOR




DEA DIANA



DEA CONCORDIA



DEA CARMENTA



DEA CERES




DEA VESTA



DEA JUNO



DEA FLORA



DEA FAUNA



DEA FORTUNA

Reflector colors




INDEX.

INDEX.

RECESSED LUMINAIRES FIXED From page 12

 Dea Amata p. 14	 Dea Amor p. 22	 Doccia p. 26	 Profondo p. 28	 Muro p. 32	 Bordo p. 34	 Splendore p. 38
 Fasto p. 40	 Piccolo Lente p. 42	 Piccolo p. 44	 Emozione p. 46			


RECESSED LUMINAIRES ADJUSTABLE From page 48

 Dea Carmenta p. 50	 Dea Ceres p. 54	 Dea Concordia p. 58	 Dolcemente p. 62	 Solo p. 66	 Gemello p. 70	 Cira p. 74
 POPOLARE LENTE p. 76	 Popolare p. 78	 Luna p. 80	 Dimora Lente p. 82	 Dimora p. 84	 Minimo Lente p. 88	 Minimo p. 90
 Corsa Lente p. 92	 Corsa p. 94	 Piazza Lente p. 96	 Piazza p. 98	 Doppio Lente p. 102	 Doppio p. 104	 Forte p. 106
 Valore p. 108	 Grandezza p. 112	 Fontana p. 114	 Giovanni p. 118			

RECESSED LUMINAIRES TRIMLESS From page 120

 Dea Diana p. 122



LINEAR LUMINAIRES From page 126

 Tre p. 128	 Sei p. 130	 Dodici p. 134	 Diciotto p. 136	 Dodici Track p. 138	 Diciotto Track p. 140	 Ventiquattro Track p. 142
---	---	--	--	--	--	--

TRACK LUMINAIRES From page 144

 Dea Juno p. 146	 Vuoto p. 150	 Stretto p. 152	 Lusso p. 156	 Tesoro p. 158	 Piatto p. 162
---	--	--	--	---	---

SURFACE LUMINAIRES From page 168

 Dea Flora p. 170	 Dea Fauna p. 176	 Dea Fortuna p. 182
---	---	---

SUSPENDED LUMINAIRES From page 186

 Dea Vesta p. 188	 Giusto p. 196	 Perla p. 198
---	--	---

Please take notice: All rated values @ ambient temperature of 25° C. Electric and photometric values are initially subject to a tolerance of +/- 10%. Tolerance of color temperature +/- 150K. Technical data can change without prior notice. The technical specification of the dimming versions (DALI, Phase-Cut) can vary depending on the specifications or limits of the used driver.

"Dedicate yourself
to the good you deserve
and desire for yourself.
Give yourself peace of mind.
You deserve to be happy.
**You deserve
delight."**

KARIZMA LUCE B.V.

SNEEKERMEER 4A

8502 TP JOURE

THE NETHERLANDS

+31 (0)513 226008

INFO@KARIZMALUCE.COM

KARIZMALUCE.COM

KARIZMALUCE.COM